

Multipurpose Housing



Housing Specifications

Enclosure models without lid seal	Type 1
Enclosure models with lid seal and 2 lid screws	Type 1, 3
Enclosure models with lid seal and with 4 lid screws	Type 1, 3, 4, 4X, 6
Operating temperature range	-40°C to 85°C (silicone seal)
	-35°C to 60°C (nitrile seal)
Male Threaded Nipple	1/2" or 3/4" non-tapered
Female Threaded Hole	PG11 or M16
Enclosure UL 94 Rating	V-0 (gray)
	HB (all other colors)

The AE Products Multipurpose Housing is a molded plastic enclosure for electrical or electronic equipment. The enclosure is intended for inside or outside use. A single size enclosure may include options such as a hinged lid, internal circuit board bosses, alternate color, lockable clasp, and/ or a molded threaded male electrical conduit nipple. Alternately the male threaded nipple may be changed to a female threaded hole. The enclosure is intended to be used with fittings appropriate to the application in accordance with the NEC or connected directly to other enclosures by use of the molded nipple in accordance with the NEC. The enclosure is intended to be an End of Line electrical box and is not intended to form part of a safety grounding system.

Model Number Configuration

Box Color

01 - Gray 02 - Black

03 - Blue

04 - Clear

05 - Fern Green

06 - Fluor. Green

07 - Orange

08 - Red

09 - Pink

10 - Off White

11 - Yellow

This box offers a great deal of customization extending even beyond the details shown here. Please contact the factory if you have any questions or if you are looking for something specific. We can work with you create the box you need for your project.

Options (Multiple options allowed)

Bosses

NB - No Bosses

LB - Lid Bosses

BB - Box Bosses

Nipple Location

NN - No Nipple

NL - Nipple, Long Side

NS - Nipple, Short Side

NB - Nipple Both Sides

Internal Threading (Instead of Nipple)

ML - M16 Female Thread, Long Side

MS - M16 Female Thread, Short Side

MB - M16 Female Thread, Both Sides

Internal Threading (Instead of Nipple)

PL - PG11 Female Thread Long Side

PS - PG11 Female Thread, Short Side

PB - PG11 Female Thread, Both Sides

Lid Seal

LS – Lid Seal (Internal O-Ring)

L1 – Lid 1 Screw

L2 - Lid 2 Screws

L3 - Lid 3 Screws

L4 - Lid 4 Screws

NH - No Hinge or Clasp

HC - Hinge & Clasp

HG - Hinge Only

CC - Clasp Only

Lid Color

01 - Gray Lid

02 - Black Lid

03 - Blue Lid

04 - Clear Lid

05 - Fern Green Lid

06 - Fluor. Green Lid

07 - Orange Lid

08 - Red Lid

09 - Pink Lid

10 - Off White Lid


11 - Yellow Lid

Note: You may add additional options as needed by extending the model number.





Multipurpose Housing

Exterior Dimensions



Internal Dimensions





(Diagrams are not to scale)



Multipurpose Housing

